

#### National Marine Fisheries Service, Northwest Region 7600 Sand Point Way NE, Seattle, WA 98115 www.nwr.noaa.gov



#### **PUBLIC NOTICE**

For Information Contact: The Groundfish Branch (206) 526-6140 Toll-free trawl program hotline (888) 522-0267 NMFS-SEA-10-22 FOR IMMEDIATE RELEASE December 27, 2010

#### PACIFIC COAST GROUNDFISH FISHERY

Interim Harvest Specifications and Trip Limit Tables for All Commercial Fisheries and Trawl Rationalization Program Implementation Measures

Fishing in the limited entry trawl fishery will be prohibited beginning January 1,

What to expect in the limited entry trawl fishery on January 1, 2011.

Shorebased IFQ Program may begin, which is expected to be in early January 2011.

2011, until the National Marine Fisheries Service (NMFS) completes all final steps necessary to implement the trawl rationalization program. As specified in regulations at 50 CFR 660.112(b), it is prohibited to fish in the Shorebased IFQ Program with a vessel that does not have a valid vessel account.

NMFS anticipates that initial administrative determination (IAD) letters for applications for the trawl rationalization program will be mailed by the end of December 2010 and received by applicants shortly after January 1, 2011. The IAD letters will include QS percentages for 2011 for qualified applicants. The user ID and password for access to QS and/or vessel accounts will be mailed through a separate notice, which should be received early in January 2011. In addition, NMFS will establish vessel accounts and notify participants when accounting systems are operational. NMFS will send a separate public notice when fishing under the

NMFS has been working diligently to complete remaining aspects of the trawl rationalization program for implementation on January 1, 2011. However, additional work remains to be finalized and, as discussed at the November 2010 Pacific Fishery Management Council meeting and consistent with Council guidance, this brief delay is necessary to ensure completion of all aspects of implementation.

(Note: The at-sea whiting fishery (mothership and catcher/processor sectors) seasons do not start until May 15, 2011, and are not affected by this delay.)

Any updates, including interim 2011 allocations for the trawl Shorebased IFQ Program, will be posted on the NMFS Trawl Program website at: <a href="http://www.nwr.noaa.gov/Groundfish-Halibut/Groundfish-Fishery-Management/Trawl-Program/index.cfm">http://www.nwr.noaa.gov/Groundfish-Halibut/Groundfish-Fishery-Management/Trawl-Program/index.cfm</a>.

NMFS will not have the final 2011-2012 groundfish fishery harvest specifications and management measures in place until April 2011. Therefore, most of the specifications and management measures that were in place for 2010 will remain in effect for the start of the 2011 fishery, unless modified.

Due to the delay in 2011-2012 harvest specifications and management measures, and in preparation for implementation of the trawl rationalization program that goes into effect in January 2011, NMFS is taking an emergency interim action. This action is necessary to prevent over-issuing QP in the rationalized trawl fishery and to keep harvest early in 2011 low enough that, once the final 2011 harvest specifications and management measures are implemented later in 2011, drastic restrictions to management measures will not be necessary. In summary, the following changes to commercial management measures will file with the Office of the Federal Register on December 29, 2010, will publish in the Federal Register on December 30, 2010, and are effective at 0001 hours (local time) **January 1, 2011**:

- Implementation of an interim reduction to the 2010 harvest level for sablefish north of 36° N lat
- 2. Issuance of QP for individual fishing quota (IFQ) species.
- 3. Changes to the Pacific halibut trawl bycatch (IBQ) calculations for 2011.
- 4. Adjustment of the trawl RCA and establishment of landing allowances for non-IFQ species and Pacific whiting for the start of the 2011 groundfish fishery. The RCA boundaries and landing limits will replace the previously used trip limit tables for the limited entry trawl fishery.

See below for more information on these changes to harvest specifications for sablefish, issuance of QP, and changes to fishery management measures.

# Sablefish Harvest Specifications North of 36° N. lat.

An interim reduction to the 2010 harvest level for sablefish north of 36° N. lat., from 6,471 mt to 5,515 mt, will be effective January 1, 2011. As a result in the delay of the final 2011 specifications, this

interim measure is needed to prevent conservation concerns with issuance of trawl fishery QP. This interim measure is also intended to prevent conservation concerns with calculating the 2011 primary sablefish fishery tier limits, and for taking routine inseason actions to control catch for early 2011. Those two actions, if necessary, may be taken in a separate rulemaking and announced in a future public notice. Changes to the harvest level implemented in this emergency rule are based on the best available science in accordance with the Magnuson-Stevens Act. Details on the proposed 2011-2012 harvest levels are covered in the November 3, 2010 proposed rule (75 FR 67810). For all other species, except sablefish north of 36° N. lat., the harvest levels in place at the end of 2010 will remain in place for the start of the 2011 fishing year.

#### Limited Entry Trawl Rationalization Management Measures

For complete regulations governing the Limited Entry Trawl Fisheries, please see 50 CFR Part 660, Subparts C and D. Specific details regarding the contents of this public notice, including the interim 2011 allocations for the trawl Shorebased IFQ Program, can be found on the NMFS Trawl Program website at:

http://www.nwr.noaa.gov/Groundfish-Halibut/Groundfish-Fishery-Management/Trawl-Program/index.cfm.

# Quota Pounds for Individual Fishing Quota Species

For all IFQ species, issuance of QP for the beginning of 2011 will be based on the lowest harvest level from either 2010 or those proposed for 2011. The shorebased trawl allocation for IFQ species, which will be used to calculate QP, will be sent with the IAD letters and will be available on the Trawl Program website listed above beginning Wednesday, December 29, 2010.

NMFS may revise these interim rule allocations of QP for IFQ species, other than Pacific halibut, once final 2011 harvest specifications are put in place later in 2011. Also, NMFS will make adjustments in quota share (QS) accounts, as appropriate. This means that if the final 2011 harvest specifications

are greater than those used for the issuance of QPs in this interim rule, NMFS will issue additional QPs later in 2011.

#### Halibut IBQ Calculations

A temporary revision to the calculation method used to allocate the 2011 halibut IBQ for the trawl fishery was implemented in response to a retrospective report on halibut bycatch in the groundfish fishery, which was published in October 2010. The calculation is revised to account for the conversion to round weight and to include a sublegal allocation  $(130,000 \div 0.75 \div 0.62)$ . The result is reduced by 10 mt (22,046 pounds) for the set aside for at-sea Pacific whiting fishery bycatch and for catch in the Shorebased IFQ Program south of  $40^{\circ}10^{\circ}$  N. lat.

The Shorebased IFQ Program will be allocated 257,524 pounds of Pacific halibut north of 40°10' N. lat.

#### RCAs and Landing Allowances

Trip limits for IFQ species will no longer be in effect due to the use of QP for these IFQ species in the rationalized trawl fishery. The attached 2011 tables include non-IFQ species and Pacific whiting landing allowances, and the boundaries of the limited entry trawl Rockfish Conservation Areas. See Table 1 (North) and Table 1 (South).

Visit the NMFS Northwest Region website for current groundfish management regulations, VMS information, and RCA boundary coordinates.

<a href="http://www.nwr.noaa.gov/Groundfish-Halibut/index.cfm">http://www.nwr.noaa.gov/Groundfish-Halibut/index.cfm</a>

#### **Groundfish E-mail Group**

Subscribe to "wcgroundfish" by visiting the following website: http://www.nwr.noaa.gov/Groundfish-Halibut/Groundfish-Fishery-Management/Public-Notices/Index.cfm and clicking "sign up"

Tables, effective January 1, 2011, are included at the end of this public notice, including tables for the rationalized trawl fishery with trawl RCA boundaries and landing allowances.

For more information contact: NMFS Northwest Region at 206-526-6140 or visit our website at http://www.nwr.noaa.gov, click on "Groundfish & Halibut;"; Washington Department of Fish and Wildlife at 360-249-4628; Oregon Department of Fish and Wildlife at 541-867-4741; or the California Department of Fish and Game at 707-441-5797 (Eureka), 650-631-6789 (Belmont), 831-649-2804 (Monterey), 562-342-7111 (Los Alamitos).

Any discrepancies between this public notice and the Federal Register will be resolved in favor of the Federal Register.

Table 1 (North) to Part 660, Subpart D -- 2011 Limited Entry Trawl Rockfish Conservation Areas and Landing Allowances for non-IFQ Species and Pacific Whiting North of 40°10' N. Lat.

This table describes Rockfish Conservation Areas and incidental landing allowances for vessels registered to a Federal limited entry trawl permit and using groundfish trawl or groundfish non-trawl gears to harvest individual fishing quota (IFQ) species.

Other Limits and Requirements Apply -- Read § 660.10 - § 660.399 before using this table

01012011

D

 $\Box$ 

Ш

		JAN-FEB	MAR-APR	MAY-JUN	JUL-AUG	SEP-OCT	NOV-DEC
Rockf	ish Conservation Area (RCA) 1/:						
1	North of 48°10' N. lat.	shore - modified <sup>2/</sup> 200 fm line <sup>1/</sup>	shore - 200 fm line <sup>1/</sup>	shore - 15	50 fm line <sup>1/</sup>	shore - 200 fm line <sup>1/</sup>	shore - modified <sup>2/</sup> 200 fm line <sup>1/</sup>
2	48°10' N. lat 45°46' N. lat.	75 fm line <sup>1/</sup> - modified <sup>2/</sup> 200	75 fm line <sup>1/</sup> -	75 fm line <sup>1/</sup> - 150 fm line <sup>1/</sup>	100 fm line <sup>1/</sup> - 150 fm line <sup>1/</sup>	75 fm line <sup>1/</sup> -	75 fm line <sup>1/</sup> - modified <sup>2/</sup> 200
3	45°46' N. lat 40°10' N. lat.	fm line <sup>1/</sup>	200 fm line <sup>1/</sup>	75 fm line <sup>1/</sup> - 200 fm line <sup>1/</sup>	100 fm line <sup>1/</sup> - 200 fm line <sup>1/</sup>	200 fm line <sup>1/</sup>	fm line <sup>1/</sup>

Selective flatfish trawl gear is required shoreward of the RCA; all bottom trawl gear (large footrope, selective flatfish trawl, and small footrope trawl gear) is permitted seaward of the RCA. Large footrope and small footrope trawl gears (except for selective flatfish trawl gear) are prohibited shoreward of the RCA. Midwater trawl gear is permitted only for vessels participating in the primary whiting season. Vessels fishing groundfish trawl quota pounds with groundfish non-trawl gears, under gear switching provisions at § 660.140, are subject to the limited entry groundfish trawl fishery limits in this table, regardless of the type of fishing gear used.

See § 660.60, § 660.130, and § 660.140 for Additional Gear, Trip Limit, and Conservation Area Requirements and Restrictions. See §§ 660.70-660.74 and §§ 660.76-660.79 for Conservation Area Descriptions and Coordinates (including RCAs, YRCA, CCAs, Farallon Islands, Cordell Banks, and EFHCAs).

State trip limits and seasons may be more restrictive than federal trip limits, particularly in waters off Oregon and California Minor nearshore rockfish & Black Z 300 lb/ month rockfish 0 Whiting Before the primary whiting season: CLOSED. -- During the primary season: mid-water trawl permitted midwater traw in the RCA. See §660.131 for season and trip limit details. -- After the primary whiting season: **5** CLOSED. Before the primary whiting season: 20,000 lb/trip. -- During the primary season: 10,000 lb/trip. -- After large & small footrope gear the primary whiting season: 10,000 lb/trip. 8 Cabezon Unlimited North of 46°16' N. lat 10 50 lb/ month 46°16' N. lat. - 40°10' N. lat 12 Shortbelly Unlimited 13 Spiny dogfish 60,000 lb/ month 14 Longnose skate Unlimited 15 Other Fish 3/ Unlimited

To convert pounds to kilograms, divide by 2.20462, the number of pounds in one kilogram.

<sup>1/</sup> The Rockfish Conservation Area is an area closed to fishing by particular gear types, bounded by lines specifically defined by latitude and longitude coordinates set out at §§ 660.71-660.74. This RCA is not defined by depth contours, and the boundary lines that define the RCA may close areas that are deeper or shallower than the depth contour. Vessels that are subject to the RCA restrictions may not fish in the RCA, or operate in the RCA for any purpose other than transiting.

<sup>2/</sup> The "modified" fathom lines are modified to exclude certain petrale sole areas from the RCA.

<sup>3/&</sup>quot;Other fish" are defined at § 660.11 and include sharks (except spiny dogfish), skates (except longnose skate), ratfish, morids, grenadiers, and kelp greenling.

Table 1 (South) to Part 660, Subpart D -- Limited Entry Trawl Rockfish Conservation Areas and Landing Allowances for non-IFQ Species and Pacific Whiting South of 40°10' N. Lat.

This table describes Rockfish Conservation Areas and incidental landing allowances for vessels registered to a Federal limited entry trawl permit and using groundfish trawl or groundfish non-trawl gears to harvest individual fishing quota (IFQ) species.

Other Limits and Requirements Apply -- Read § 660.10 - § 660.399 before using this table

01012011

	JAN-FEB	MAR-APR	MAY-JUN	JUL-AUG	SEP-OCT	NOV-DEC				
Rockfish Conservation Area (RCA) 1/:										
South of 40°10' N. lat.		100 fm line <sup>1/</sup> - 150 fm line <sup>1/2/</sup>								
Small footrope trawl gear is required shorew trawl gear) is permitted seaward of the RO shing groundfish trawl quota pounds w limited entry groundfis	CA. Large footrop	e trawl gear and on-trawl gears,	midwater trawl ge under gear swite	ar are prohibited s	shoreward of the at § 660.140, an	RCA. Vessels				
See § 660.60, § 660.130, and § 660.140 f 60.70-660.74 and §§ 660.76-660.79 for Co	onservation Area		and Coordinates	•			-			
State trip limits and seasons ma	ay be more restric	tive than federal	trip limits, particul	arly in waters off	Oregon and Califo	ornia.	U			
Longspine thornyhead							Г			
South of 34°27' N. lat.	24,000 lb/ 2 months									
Minor nearshore rockfish & Black rockfish			300 lb/	month			(			
Whiting										
midwater trawl	Before the primary whiting season: CLOSED During the primary season: mid-water trawl permitted in the RCA. See §660.131 for season and trip limit details After the primary whiting season: CLOSED.  8 small footrope gear  Before the primary whiting season: 20,000 lb/trip During the primary season: 10,000 lb/trip After the primary whiting season: 10,000 lb/trip.									
large & small footrope gear										
Cabezon			50 lb/	month						
6 Shortbelly Unlimited										
Spiny dogfish	60,000 lb/ month									
Longnose skate	Unlimited									
California scorpionfish	Unlimited									
Other Fish 3/			Unlir	mited						

<sup>1/</sup> The Rockfish Conservation Area is an area closed to fishing by particulary gear types, bounded by lines specifically defined by latitude and longitude coordinates set out at §§ 660.71-660.74. This RCA is not defined by depth contours, and the boundary lines that define the RCA may close areas that are deeper or shallower than the depth contour. Vessels that are subject to the RCA restrictions may not fish in the RCA, or operate in the RCA for any purpose other than transiting.

To convert pounds to kilograms, divide by 2.20462, the number of pounds in one kilogram.

<sup>2/</sup> South of 34°27' N. lat., the RCA is 100 fm line - 150 fm line along the mainland coast; shoreline - 150 fm line around islands.

<sup>3/ &</sup>quot;Other fish" are defined at § 660.11 and include sharks (except spiny dogfish), skates (excluding longnose skate), ratfish, morids, grenadiers, and kelp greenling.

Table 2 (North) to Part 660, Subpart E -- Trip Limits for Limited Entry Fixed Gear North of 40°10' N. Lat.

Other Limits and Requirements Apply -- Read §§ 660.10 - 660.65 and §§ 660.210 - 660.232 before using this table

01012011

	and Requirements Apply	JAN-FEB	MAR-APR	MAY-JUN	JUL-AUG	SEP-OCT	01012011 NOV-DEC			
ookfish Conson	vation Area (RCA) <sup>6/</sup> :	JAN-FEB	WAN-AFIX	WAT-30N	JOL-AUG	3EF-0C1	NOV-DEC			
North of 46				shoreline	e - 100 fm line <sup>6/</sup>					
4	at 45°03.83' N. lat.				e <sup>6/</sup> - 100 fm line <sup>6/</sup>					
	N. lat 43°00' N. lat.				/ - 125 fm line <sup>6/7</sup>	7/				
	at 42°00' N. lat.		20 fm line <sup>6/</sup> - 100 fm line <sup>6/</sup>							
***************************************	at 40°10' N. lat.				ontour - 100 fm l	ine <sup>6/</sup>				
See §§ 660.70-	60.60 and § 660.230 for A -660.74 and §§ 660.76-66	0.79 for Conser Farallon Islar	rvation Area D nds, Cordell B	d Conservatio escriptions an anks, and EFH	on Area Require d Coordinates CAs).	ments and Rest (including RCAs	, YRCA, CCAs,			
	p limits and seasons may	be more restricti	ive than federal	trip limits, partic	cularly in waters	off Oregon and C	alifornia.			
6 Minor slope r Darkblotched	l rockfish				lb/ 2 months					
Pacific ocean	perch			1,800	lb/ 2 months					
8 Sablefish		1,750 lb per we	eek, not to exce months	eed 7,000 lb/ 2		ek, not to exceed 2 months	1,750 lb per week in November; 2,000 lb per week in December. Not to exceed 8,000 lb per two month period			
9 Longspine the	ornyhead	10,000 lb/ 2 months								
Shortspine th	ornyhead			2,000	lb/ 2 months					
1 Dover sole										
2 Arrowtooth flo	ounder			5,00	0 lb/ month					
4 English sole							gear with no more			
5 Starry flounde	er		, ,			,	asure 11 mm (0.44			
<sup>6</sup> Other flatfish	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	inches) point to shank, and up to two 1 lb (0.45 kg) weights per line are not subject to the RCAs.								
7 Whiting				10,0	000 lb/ trip					
	ockfish <sup>2/</sup> , Shortbelly, lowtail rockfish			200	) lb/ month					
Canary rockfi	sh			С	LOSED					
Yelloweye roo	ckfish			С	LOSED					
Minor nearsh rockfish	ore rockfish & Black									
22	North of 42° N. lat.	5,000 lb/ 2 m	nonths, no mor			species other that	an black or blue			
***************************************	INUITION 42 IN. Idt.		9	ro	ockfish 3/		***************************************			
23	42° - 40°10' N. lat.	6,000 lb/ 2 months, no more than 1,200 lb of 7,000 lb/ 2 months, no more than 1,200 lb of which may be species other than								
		CLOSED 800 lb/ 2 months 400 lb/ month CLOSED								
Lingcod <sup>4/</sup>										
•				1,000	lb/ 2 months					
24 Lingcod <sup>4/</sup> 25 Pacific cod 26 Spiny dogfish	,	200,000 lb/	2 months	1,000 150,000 lb/ 2 months	l	100,000 lb/ 2 mor	nths			

- 1/ "Other flatfish" are defined at § 660.11 and include butter sole, curlfin sole, flathead sole, Pacific sanddab, rex sole, rock sole, and sand sole.
- 2/ Bocaccio, chilipepper and cowcod are included in the trip limits for minor shelf rockfish and splitnose rockfish is included in the trip limits for minor slope rockfish.
- 3/ For black rockfish north of Cape Alava (48°09.50' N. lat.), and between Destruction Is. (47°40' N. lat.) and Leadbetter Pnt. (46°38.17' N. lat.), there is an additional limit of 100 lb or 30 percent by weight of all fish on board, whichever is greater, per vessel, per fishing trip.
  4/ The minimum size limit for lingcod is 22 inches (56 cm) total length North of 42° N. lat. and 24 inches (61 cm) total length South of 42° N. lat.
- 5/ "Other fish" are defined at § 660.11 and include sharks, skates (including longnose skates), ratfish, morids, grenadiers, and kelp greenling. Cabezon is included in the trip limits for "other fish."
- 6/ The Rockfish Conservation Area is an area closed to fishing by particular gear types, bounded by lines specifically defined by latitude and longitude coordinates set out at §§ 660.71-660.74. This RCA is not defined by depth contours (with the exception of the 20-fm depth contour boundary south of 42° N. lat.), and the boundary lines that define the RCA may close areas that are deeper or shallower than the depth contour. Vessels that are subject to RCA restrictions may not fish in the RCÁ, or operate in the RCA for any purpose other than transiting.
- 7/ The 125 fm line restriction is in place all year, except on days when the directed halibut fishery is open. On those days the 100 fm line restriction is in effect.

To convert pounds to kilograms, divide by 2.20462, the number of pounds in one kilogram.

Table 2 (South) to Part 660, Subpart E -- Trip Limits for Limited Entry Fixed Gear South of 40°10' N. Lat. Other Limits and Requirements Apply -- Read §§ 660.10 - 660.65 and §§ 660.210 - 660.232 before using this table

01012011

		,		33					01012011	
		JAN-FEB	MAR-APR	MAY-JUN	JUL-AUG	SEP-C	OCT	NO\	/-DEC	
Ro	ckfish Conservation Area (RCA) <sup>5/</sup> :									
1	40°10' - 34°27' N. lat.				<sup>5/</sup> - 150 fm line <sup>5/</sup>					
2	South of 34°27' N. lat.		60 fm line	e <sup>5/</sup> - 150 fm line	<sup>5/</sup> (also applies a	round isla	nds)	***************************************		
	See § 660.60 and § 660.230 for A	Additional Gear,	Trip Limit, an	d Conservatio	n Area Require	ments an	d Rest	rictions.		
	See §§ 660.70-660.74 and §§ 660.76-66			-		(including	RCAs	, YRCA,	CCAs,	
			-	anks, and EFH	· · · · · · · · · · · · · · · · · · ·					
	State trip limits and seasons may	be more restricti	ve than federal	trip limits, parti	cularly in waters	off Oregor	n and C	alifornia.		
3	Minor slope rockfish <sup>2/</sup> & Darkblotched rockfish			40,000	lb/ 2 months					
4	Splitnose			40,000	lb/ 2 months					
5	Sablefish									
6	40°10′ - 36° N. lat.	1,750 lb per we	eek, not to exce months	eed 7,000 lb/ 2	1,750 lb per we 8,500 lb/	ek, not to e 2 months	exceed	in Nov 2,000 lb in Decei to excee per tw	per week vember; per week mber. Not ed 8,000 lb o month eriod	Т
7	South of 36° N. lat.	400 lb/ da	y, or 1 landing	per week of up	to 1,500 lb	3,000 lb/ week	2,800	lb/ week	1,800 lb/ week	>
8	Longspine thornyhead			10,000	lb / 2 months					B
9	Shortspine thornyhead									
10	40°10' - 34°27' N. lat.			2,000	lb/ 2 months					Ш
11	South of 34°27' N. lat.			3,000	lb/ 2 months					• • •
12	Dover sole									2
13	Arrowtooth flounder			5.00	0 lb/ month					
14	Petrale sole	South of 42° N.	lat., when fishir	,	fish," vessels us	ing hook-a	and-line	gear with	n no more	S
15	English sole			•	han "Number 2"				•	0
16	Starry flounder	inches) point to	o shank, and up	o to two 1 lb (0.4	45 kg) weights p	er line are	not sub	ject to th	e RCAs.	L
17	Other flatfish <sup>1/</sup>									1 t
	Whiting			10,	000 lb/ trip					<b>b</b>
10	Minor shelf rockfish <sup>2/</sup> , Shortbelly, W	idaw saaldiah a	and Bassasia (	<u> </u>		40°40!	24027	! N. Jo4 \		
20	40°10′ - 34°27′ N. lat.	Minor shelf ro	ockfish, shortbe	elly, widow rockf	ish, bocaccio &	chilipeppe	r: 2,500	lb/ 2 mo		
		which	no more than 5	00 lb/ 2 months	may be any spe	ecies other	than c	hilipeppe	r.	
21	South of 34°27' N. lat.	3,000 lb/ 2 months	CLOSED		3,000 I	b/ 2 month	ns			
22	Chilipepper rockfish									
23	40°10' - 34°27' N. lat.	Chilipepper i	ncluded under		kfish, shortbelly, above	widow and	d bocad	cio limits	See	
24	South of 34°27' N. lat.	2,000	lb/ 2 months, th	his opportunity	only available sea	award of th	ne nonti	rawl RCA	<u> </u>	
25	Canary rockfish			C	LOSED					
26	Yelloweye rockfish			C	LOSED					
	Cowcod			С	LOSED					
	Bronzespotted rockfish			C	LOSED					
29	Bocaccio									
30	40°10' - 34°27' N. lat.		ded under Mind	or shelf rockfish	, shortbelly, wido	w & chilipe	epper li	mits Se	ee above	
31	South of 34°27' N. lat.	300 lb/ 2 months	CLOSED		300 lb	/ 2 months	5			

		JAN-FEB	MAR-APR	MAY-JUN	JUL-AUG	SEP-OCT	NOV-DEC		
2 N	linor nearshore rockfish & Black roc	kfish							
3	Shallow nearshore	600 lb/ 2 months	CLOSED	800 lb/ 2 months	900 lb/ 2 months	800 lb/ 2 months	600 lb/ 2 months		
1	Deeper nearshore								
5	40°10' - 34°27' N. lat.	700 lb/ 2 months	CLOSED	700 lb/ 2	00 lb/ 2 months		2 m antha		
6	South of 34°27' N. lat.	500 lb/ 2 months	CLOSED	600 lb/ 2	2 months 800 lb/ 2 mon		2 months		
, _	California scorpionfish	600 lb/ 2 months	CLOSED	600 lb/ 2 months	1 200 lb/ 2 months				
<sup>38</sup> Lingcod <sup>3/</sup>		CLOSED		800 lb/ 2 months		s	400 lb/ month CLOSED		
P	Pacific cod	1,000 lb/ 2 months							
40 Spiny dogfish		200,000 lb/ 2 months		150,000 lb/ 2 months 100,000 lb/ 2 r		100,000 lb/ 2 mor	nths		
1 <u>c</u>	Other fish <sup>4/</sup> & Cabezon		Not limited						

- 1/ "Other flatfish" are defined at § 660.11 and include butter sole, curlfin sole, flathead sole, Pacific sanddab, rex sole, rock sole, and sand sole.
- 2/ POP is included in the trip limits for minor slope rockfish. Yellowtail is included in the trip limits for minor shelf rockfish. Bronzespotted rockfish have a species specific trip limit.
- 3/ The minimum size limit for lingcod is 24 inches (61 cm) total length South of 42° N. lat.
- 4/ "Other fish" are defined at § 660.11 and include sharks, skates (including longnose skates), ratfish, morids, grenadiers, and kelp greenling.
- 5/ The Rockfish Conservation Area is an area closed to fishing by particular gear types, bounded by lines specifically defined by latitude and longitude coordinates set out at §§ 660.71-660.74. This RCA is not defined by depth contours (with the exception of the 20-fm depth contour boundary south of 42° N. lat.), and the boundary lines that define the RCA may close areas that are deeper or shallower than the depth contour. Vessels that are subject to RCA restrictions may not fish in the RCA, or operate in the RCA for any purpose other than transiting.

To convert pounds to kilograms, divide by 2.20462, the number of pounds in one kilogram.

Table 3 (North) to Part 660, Subpart F -- Trip Limits for Open Access Gears North of 40°10' N. Lat.

Other Limits and Requirements Apply -- Read §§ 660.10 - 660.65 and §§ 660.310 - 660.333 before using this table 01012011 SEP-OCT JAN-FEB MAR-APR NOV-DEC Rockfish Conservation Area (RCA)<sup>6/</sup>: 1 North of 46°16' N. lat. shoreline - 100 fm line<sup>6/</sup> 2 30 fm line<sup>6/</sup> - 100 fm line<sup>6</sup> 46°16' N. lat. - 45°03.83' N. lat. 30 fm line<sup>6/</sup> - 125 fm line <sup>6/7/</sup> 45°03.83' N. lat. - 43°00' N. lat. 20 fm line<sup>6/</sup> - 100 fm line<sup>6</sup> 43°00' N. lat. - 42°00' N. lat. 42°00' N. lat. - 40°10' N. lat. 20 fm depth contour - 100 fm line<sup>6</sup> See § 660.60, § 660.330, and § 660.333 for Additional Gear, Trip Limit, and Conservation Area Requirements and Restrictions. See §§ 660.70-660.74 and §§ 660.76-660.79 for Conservation Area Descriptions and Coordinates (including RCAs, YRCA, CCAs, Farallon Islands, Cordell Banks, and EFHCAs). State trip limits and seasons may be more restrictive than federal trip limits, particularly in waters off Oregon and California. Minor slope rockfish 1/8 Darkblotched Per trip, no more than 25% of weight of the sablefish landed rockfish Pacific ocean perch 100 lb/ month 300 lb/ day, or 1 landing per week of up to 950 lb, in November; 300 lb/day, or 1 landing per week 400 lb/ day, or 1 300 lb/ day, or 1 landing per week of up to 800 8 Sablefish of up to 950 lb, not to exceed 2,750 landing per week lb, not to exceed 2,400 lb/ 2 months lb/2 months of up to 1,500 lb, in December. D Not to exceed 4,500 lb per two W month period Thornyheads CLOSED 10 Dover sole Arrowtooth flounder 11 3,000 lb/month, no more than 300 lb of which may be species other than Pacific sanddabs. South of Petrale sole  $42^{
m o}$  N. lat., when fishing for "other flatfish," vessels using hook-and-line gear with no more than 12 hooks Ź 13 English sole per line, using hooks no larger than "Number 2" hooks, which measure 11 mm (0.44 inches) point to 14 Starry flounder shank, and up to two 1 lb (0.45 kg) weights per line are not subject to the RCAs. 0 Other flatfish<sup>2/</sup> 7 Whiting 300 lb/ month 7 Minor shelf rockfish 1/, Shortbelly, 200 lb/ month Widow, & Yellowtail rockfish Canary rockfish CLOSED Yelloweye rockfish CLOSED Minor nearshore rockfish & Black 20 rockfish 5,000 lb/ 2 months, no more than 1,200 lb of which may be species other than black or blue rockfish  $^{3/}$ 21 North of 42° N. lat 6.000 lb/2 months, no more than 1,200 7,000 lb/2 months, no more than 1,200 lb of which may be species other than black lb of which may 42° - 40°10' N. lat. rockfish 3/ be species other than black or blue rockfish 3/ 23 Lingcod4/ CLOSED CLOSED 400 lb/ month 24 Pacific cod 1.000 lb/ 2 months 150,000 lb/ 2 25 Spiny dogfish 200,000 lb/ 2 months 100,000 lb/ 2 months

### EFFECTIVE AT 0001 HOURS LOCAL TIME **ON JANUARY 1, 2011**

Not limited

<sup>26</sup> Other Fish<sup>5/</sup>

	JAN-FEB	MAR-APR	MAY-JUN	JUL-AUG	SEP-OCT	NOV-DEC							
SALMON TROLL (subject to RC.	Z SALMON TROLL (subject to RCAs when retaining any species of groundfish except for yellowfail rockfish and lingcod, as described below)												
Salmon trollers may retain and land up to 1 lb of yellowtail rockfish for every 2 lbs of salmon landed, with a cumulative limit of 200 lb/month, both within and outside of the RCA. This limit is within the 200 lb per month combined limit for minor shelf rockfish, widow rockfish and yellowtail rockfish, and not in addition to that limit. Salmon trollers may retain and land up to 1 lingcod per 15 Chinook per trip, plus 1 lingcod per trip, up to a trip limit of 10 lingcod, on a trip where any fishing occurs within the RCA. This limit only applies during times when lingcod retention is allowed, and is not "CLOSED." This limit is within the per month limit for lingcod described in the table above, and not in addition to that limit. All groundfish species are subject to the open access limits, seasons, size limits and RCA restrictions listed in the table above, unless otherwise stated here.													
PINK SHRIMP NON-GROUNDFI	SH TRAWL (not subject t	o RCAs)					Z						
Effective April 1 - October 31: Groundfish: 500 lb/day, multiplied by the number of days of the trip, not to exceed 1,500 lb/trip. The following sublimits also apply and are counted toward the overall 500 lb/day and 1,500 lb/trip groundfish limits: lingcod 300 lb/month (minimum 24 inch size limit); sablefish 2,000 lb/month; canary, thornyheads and yelloweye rockfish are PROHIBITED. All other groundfish species taken are managed under the overall 500 lb/day and 1,500 lb/trip groundfish limits. Landings of these species count toward the per day and per trip groundfish limits and do not have species-specific limits. The amount of groundfish landed may not exceed the amount of pink shrimp landed.													

- 1/ Bocaccio, chilipepper and cowcod rockfishes are included in the trip limits for minor shelf rockfish. Splitnose rockfish is included in the trip limits for minor slope rockfish.
- 2/ "Other flatfish" are defined at § 660.11 and include butter sole, curlfin sole, flathead sole, Pacific sanddab, rex sole, rock sole, and sand sole. 3/ For black rockfish north of Cape Alava (48°09.50' N. lat.), and between Destruction Is. (47°40' N. lat.) and Leadbetter Pnt. (46°38.17' N. lat.), there is an additional limit of 100 lbs or 30 percent by weight of all fish on board, whichever is greater, per vessel, per fishing trip.
- 4/ The minimum size limit for lingcod is 22 inches (56 cm) total length North of 42° N. lat. and 24 inches (61 cm) total length South of 42° N. lat. 5/ "Other fish" are defined at § 660.11 and include sharks, skates (including longnose skates), ratfish, morids, grenadiers, and kelp greenling. Cabezon is included in the trip limits for "other fish."
- 6/ The Rockfish Conservation Area is an area closed to fishing by particular gear types, bounded by lines specifically defined by latitude and longitude coordinates set out at §§ 660.71-660.74. This RCA is not defined by depth contours (with the exception of the 20-fm depth contour boundary south of 42° N. lat.), and the boundary lines that define the RCA may close areas that are deeper or shallower than the depth contour. Vessels that are subject to RCA restrictions may not fish in the RCA, or operate in the RCA for any purpose other than transiting.
- 7/ The 125 fm line restriction is in place all year, except on days when the directed halibut fishery is open. On those days the 100 fm line restriction is in effect.

To convert pounds to kilograms, divide by 2.20462, the number of pounds in one kilogram.

Table 3 (South) to Part 660, Subpart F -- Trip Limits for Open Access Gears South of 40°10' N. Lat. Other Limits and Requirements Apply -- Read §§ 660.10 - 660.65 and §§ 660.310 - 660.333 before using this table JAN-FEB MAR-APR SEP-OCT MAY-JUN JUL-AUG **NOV-DEC** Rockfish Conservation Area (RCA)<sup>5/</sup>: 30 fm line<sup>5/</sup> - 150 fm line<sup>5/</sup> 40°10' - 34°27' N. lat. 60 fm line<sup>5/</sup> - 150 fm line<sup>5/</sup> (also applies around islands) South of 34°27' N. lat See § 660.60, § 660.330, and § 660.333 for Additional Gear, Trip Limit, and Conservation Area Requirements and Restrictions. See §§ 660.70-660.74 and §§ 660.76-660.79 for Conservation Area Descriptions and Coordinates (including RCAs, YRCA, CCAs, Farallon Islands, Cordell Banks, and EFHCAs). State trip limits and seasons may be more restrictive than federal trip limits, particularly in waters off Oregon and California. Minor slope rockfish 1/8 Darkblotched Per trip, no more than 25% of weight of the sablefish landed 40°10' - 38° N. lat 10,000 lb/ 2 months South of 38° N. lat 6 Splitnose 200 lb/ month Sablefish 300 lb/ day, or 1 landing per week of up to 950 lb, in November; 300 lb/ day, or 1 landing per week 400 lb/ day, or 1 300 lb/ day, or 1 landing per week of up to 800 40°10' - 36° N. lat of up to 950 lb, not to exceed 2,750 landing per week lb, not to exceed 2,400 lb/ 2 months lb/2 months of up to 1,500 lb, ir D December. W Not to exceed 4,500 lb per two month period Ш 400 lb/ ယ 800 lb/ week. dav. or 1 400 lb/ day, or 1 landing per week of up to 1,500 lb, not to exceed CLOSED landing per 9 South of 36° N. lat not to exceed 8,000 lb/ 2 months week of up 1.600 lb/ month S to 2,500 lb 0 10 Thornyheads  $\subseteq$ CLOSED 11 40°10' - 34°27' N. lat **~** 50 lb/ day, no more than 1,000 lb/ 2 months 12 South of 34°27' N. lat 7 13 Dover sole Arrowtooth flounder 3,000 lb/month, no more than 300 lb of which may be species other than Pacific sanddabs. South of Petrale sole  $42^{
m o}$  N. lat., when fishing for "other flatfish," vessels using hook-and-line gear with no more than 12 hooks English sole per line, using hooks no larger than "Number 2" hooks, which measure 11 mm (0.44 inches) point to shank, and up to two 1 lb (0.45 kg) weights per line are not subject to the RCAs. Starry flounder 18 Other flatfish<sup>2/</sup> Whiting 19 300 lb/ month Minor shelf rockfish 1/, Shortbelly, 20 Widow & Chilipepper rockfish 40°10' - 34°27' N. lat 300 lb/2 months 200 lb/ 2 months 300 lb/2 months 21 CLOSED 22 South of 34°27' N. lat. 750 lb/ 2 months 750 lb/2 months 23 Canary rockfish CLOSED Yelloweye rockfish CLOSED 25 Cowcod CLOSED **Bronzespotted rockfish** CLOSED 26

### EFFECTIVE AT 0001 HOURS LOCAL TIME ON JANUARY 1, 2011

CLOSED

100 lb/ 2 months

200 lb/2 months

100 lb/2 months

Bocaccio

40°10' - 34°27' N. lat.

South of 34°27' N. lat

200 lb/ 2 months

100 lb/2 months

27 28

29

		JAN-FEB	MAR-APR	MAY-JUN	JUL-AUG	SEP-OCT	NOV-DEC		
30	Minor nearshore rockfish & Black rockfish								
31	Shallow nearshore	600 lb/ 2 months	CLOSED	800 lb/ 2 months	900 lb/ 2 months	800 lb/ 2 months	600 lb/ 2 months		
32	Deeper nearshore								
33	40°10' - 34°27' N. lat.	700 lb/ 2 months	CLOSED	700 lb/ 2	2 months	, 800 lb/ 2	2 months		
34	South of 34°27' N. lat.	500 lb/ 2 months		600 lb/ 2	600 lb/ 2 months				
35	California scorpionfish	600 lb/ 2 months	CLOSED	600 lb/ 2 months	000000000000000000000000000000000000000	1,200 lb/ 2 month	IS		
36	Lingcod <sup>3/</sup>	CLOS	SED		400 lb/ m	onth	CLOSED		
37	Pacific cod			1,000	lb/ 2 months		·		
38	Spiny dogfish	200,000 lb/	2 months	150,000 lb/ 2 months		100,000 lb/ 2 mont	ths		
39	Other Fish 4/ & Cabezon			No	ot limited				
40	RIDGEBACK PRAWN AND, SOUTH OF	38°57.50' N. LAT.	, CA HALIBUT	AND SEA CUC	JMBER NON-G	ROUNDFISH TRA	WL		
41	NON-GROUNDFISH TRAWL Rockfis	¥	Area (RCA) for	CA Halibut, Se	a Cucumber &	Ridgeback Prawn:	)		
42	40°10' - 38° N. lat.	100 fm - modified 200 fm		100 fm - 150 fm 200 fm <sup>6/</sup>					
43	38° - 34°27' N. lat.			100 f	m - 150 fm				
44	South of 34°27' N. lat.	100	) fm - 150 fm ald	ong the mainland	d coast; shoreline	e - 150 fm around is	lands		
45		Groundfish: 300 lb/trip. Trip limits in this table also apply and are counted toward the 300 lb groundfish per trip limit. The amount of groundfish landed may not exceed the amount of the target species landed, except that the amount of spiny dogfish landed may exceed the amount of target species landed. Spiny dogfish are limited by the 300 lb/trip overall groundfish limit. The daily trip limits for sablefish coastwide and thornyheads south of Pt. Conception and the overall groundfish "per trip" limit may not be multiplied by the number of days of the trip. Vessels participating in the California halibut fishery south of 38°57.50' N. lat. are allowed to (1) land up to 100 lb/day of groundfish without the ratio requirement, provided that at least one California halibut is landed and (2) land up to 3,000 lb/month of flatfish, no more than 300 lb of which may be species other than Pacific sanddabs, sand sole, starry flounder, rock sole, curlfin sole, or California scorpionfish (California scorpionfish is also subject to the trip limits and closures in line 31).							
46	6 PINK SHRIMP NON-GROUNDFISH TRAWL GEAR (not subject to RCAs)								
47	South	Effective April 1 - October 31: Groundfish: 500 lb/day, multiplied by the number of days of the trip, not to exceed 1,500 lb/trip. The following sublimits also apply and are counted toward the overall 500 lb/day and 1,500 lb/trip groundfish limits: lingcod 300 lb/ month (minimum 24 inch size limit); sablefish 2,000							

- 1/ Yellowtail rockfish is included in the trip limits for minor shelf rockfish. POP is included in the trip limits for minor slope rockfish. Bronzespotted rockfish have a species specific trip limit.
- 2/ "Other flatfish" are defined at § 660.11 and include butter sole, curlfin sole, flathead sole, Pacific sanddab, rex sole, rock sole, and sand sole.
- 3/ The size limit for lingcod is 24 inches (61 cm) total length South of 42° N. lat.
- 4/ "Other fish" are defined at § 660.11 and include sharks, skates (including longnose skates), ratfish, morids, grenadiers, and kelp greenling.
- 5/ The Rockfish Conservation Area is an area closed to fishing by particular gear types, bounded by lines specifically defined by latitude and longitude coordinates set out at §§ 660.71-660.74. This RCA is not defined by depth contours (with the exception of the 20-fm depth contour boundary south of 42° N. lat.), and the boundary lines that define the RCA may close areas that are deeper or shallower than the depth contour. Vessels that are subject to RCA restrictions may not fish in the RCA, or operate in the RCA for any purpose other than transiting.
  6/ The "modified 200 fm" line is modified to exclude certain petrale sole areas from the RCA.
- To convert pounds to kilograms, divide by 2.20462, the number of pounds in one kilogram.